

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|--|--|------------------|---------|------------------|
| L1    | 40   | (713/258.ccls. or 713/168-201.ccls. or 380/258.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)) and e?mail) | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/08 13:28 |
| L2    | 14   | (713/258.ccls. or 713/168-201.ccls. or 380/258.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (javascript) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)))        | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/08 13:32 |
| S1    | 1438 | 713/201.ccls.  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2003/05/13 11:12 |
| S2    | 36   | 713/201.ccls. and 380/277-279.ccls.  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/06/08 10:30 |
| S3    | 1    | key adj1 (delet\$ or eras\$) and one adj0 time adj0 key  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2003/01/07 11:15 |
| S4    | 21   | one adj0 time adj0 key with generat\$  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2003/01/07 11:26 |
| S5    | 1    | track adj1 access and key adj1 generation  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2003/01/07 11:32 |
| S6    | 519  | key adj0 delet\$   | US-PGPUB;<br>USPAT;<br>DERWENT                     | OR               | OFF     | 2003/01/07 11:34 |
| S7    | 181  | (key adj0 delet\$) and key with (logging or record\$)  | US-PGPUB;<br>USPAT;<br>DERWENT                     | OR               | OFF     | 2003/01/07 11:38 |
| S8    | 91   | ((key adj0 delet\$) and key with (logging or record\$)) and (encrypt\$ or encod\$)   | US-PGPUB;<br>USPAT;<br>DERWENT                     | OR               | OFF     | 2003/01/07 11:38 |

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S9  | 863 | key adj1 (delet\$ or eras\$)  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/07 11:42 |
| S10 | 294 | key adj1 (delet\$ or eras\$) and<br>distribut\$   | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/07 11:47 |
| S11 | 112 | (key adj1 (delet\$ or eras\$) and<br>distribut\$) and encrypt\$                                     | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/07 11:51 |
| S12 | 8   | (key adj1 manage\$) and encrypt\$ and<br>(key adj1 policy) and (key with eras\$<br>or delet\$)      | US-PGPUB;<br>USPAT;<br>DERWENT                     | OR | OFF | 2003/01/08 15:44 |
| S13 | 7   | (key adj1 manage\$) and encrypt\$ and<br>(key adj1 policy) and (key with (eras\$<br>or delet\$))    | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/08 15:46 |
| S14 | 0   | (key adj1 server) and encrypt\$ and<br>(key adj1 policy) and (key with (eras\$<br>or delet\$))      | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/08 15:47 |
| S15 | 4   | (key adj1 server) and encrypt\$ and<br>(security adj1 policy) and (key with<br>(eras\$ or delet\$)) | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/08 16:32 |
| S16 | 2   | "5958005".pn.   | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/08 16:32 |
| S17 | 122 | network adj1 (node or workstation or<br>computer) and file with email                               | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/09 09:48 |
| S18 | 0   | network adj1 (node or workstation or<br>computer) and file with email with<br>backup                | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/09 09:49 |

|     |     |  |  |    |     |                  |
|-----|-----|--|--|----|-----|------------------|
| S19 | 13  | network adj1 (node or workstation or computer) and (file with email) and backup              | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/09 13:22 |
| S20 | 153 | key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$)                   | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/05/12 16:19 |
| S21 | 2   | session adj0 key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$)      | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/09 15:37 |
| S22 | 2   | "6215877".pn.  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/10 09:36 |
| S23 | 2   | "5491750".pn..pn.  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/01/10 09:36 |
| S24 | 293 | 709/207.ccls.  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/05/12 16:18 |
| S25 | 0   | 709/207.ccls. and key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$) | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/05/13 11:12 |
| S26 | 12  | 709/207.ccls. and (message or data or "electronic mail" or e?mail) with expiration           | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/05/13 11:18 |
| S27 | 653 | 713/202.ccls.  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/05/13 11:12 |
| S28 | 3   | 713/202.ccls. and key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$) | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/05/13 11:13 |

|     |     |   |   |    |     |                  |
|-----|-----|---|---|----|-----|------------------|
| S29 | 15  | 713/202.ccls. and (message or data or "electronic mail" or e?mail) with expiration  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2003/05/13 11:22 |
| S30 | 53  | 713/200.ccls. and (message or data or "electronic mail" or e?mail) with expiration  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2005/06/07 14:36 |
| S31 | 2   | "6625734".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/07 16:51 |
| S32 | 0   | "6625734".pn. and (java\$ or basic or script\$)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/07 16:51 |
| S33 | 277 | (713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$ or xml or script\$ or basic) and (www or web))  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2005/06/08 10:34 |
| S34 | 268 | (713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$ or xml or script\$ or basic) and (www or web) and (\$crypt\$ or \$cipher\$))            | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2005/06/08 10:40 |
| S35 | 184 | (713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$ or xml or script\$) and (www or web) and (\$crypt\$ or \$cipher\$))                     | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2005/06/08 10:41 |
| S36 | 129 | (713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$))  | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2005/06/08 10:42 |
| S37 | 54  | (713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)))     | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2005/06/08 12:47 |
| S38 | 7   | (713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (javascript) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user))) | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB      | OR | OFF | 2005/06/08 13:32 |

|     |    |  |  |    |     |                  |
|-----|----|--|--|----|-----|------------------|
| S39 | 16 | ("713"/\$.ccls. or "380"/\$.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (javascript) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)))          | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/08 12:45 |
| S40 | 28 | (713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)) and e?mail) | US-PGPUB;<br>USPAT;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/06/08 13:26 |